



# Company Introduction



CHANGZHOU LEMI ELECTRONIC CO., LTD. is a factory dedicated to the development and manufacture of various cables for Mobile, TV and Computer.

It is a company integrating industry and trade, whose parent company Changzhou AVI was established in 2002. The first phase of investment amounts to 5 million US dollars, with daily output of 30,000 HDMI cable, 50,000 USB cables and 30,000 AV cables. We have five innovative and R&D members. There are nearly 10 professional technicians in each process. Our QC Team follows the latest GB/T19001-2017 ISO9001:2015 standard, and provides our customers with the most professional services. Quality first plus the reasonable price is the reason for us to win customers' reordering constantly.

## Contents

● Company Introduction.....	P2~3	● MHL Cable.....	P25
● Certificate.....	P4~5	● Embedded Charger on Tabletop.....	P26
● Thunderbolt 3.0 and USB 3.2 Cable.....	P6~7	● Wall Charger .....	P27~29
● USB 2.0 Cable.....	P8-15	● Car Charger.....	P30~33
● Multi-Function Cable.....	P16	● Audio Adapter.....	P34
● Magnetic Cable.....	P17	● HUB.....	P35~36
● LED Cable.....	P18~19	● Power Bank.....	P37
● Game Cable and Gift Cable.....	P20~21	● Wireless Charger.....	P38~40
● MFI Cable.....	P22~23	● Jacket of Cable.....	P41
● Classic Cable.....	P24	● Packaging.....	P42~43





High Frequency Spark Test



laying-up



Jacket Extruder



Data Cable Workshop



SL-OTP



HDMI Automatic welding



USB Automatic welding



HDMI Cable Workshop



Hot-Bar



Dispense



Laser-beam welding



Multi-functional Cable Test



Data Cable Test




ROHS Test



YVM



TDR Test



Year 2002 Changzhou AVI IMP and E\*p. Co. Ltd-- Sourcing

Year 2007 Changzhou Lemi Electronic Co., Ltd-- Factory

- 15-20 new products each month
- 150-200 workers and 35 administrative staff
- 10,000m<sup>2</sup> workshop
- ERP U8 management system
- ISO 9001:2015-certified manufacturer
- 18th years verified supplier in globalsources.com

**Key Products:**

- Mobile Phone Cable
- Power Charger
- HDMI/DVI/DP Cable
- USB/Lane/Computer Cable
- Component/Composite/AV Cable

# Certificate

### Universal Serial Bus (USB) Vendor ID Confirmation

**Vendor ID Number Usage**

For systems based on the USB specification to function properly, devices will need to be compliant per the requirements stated in the specification. Receipt of your vendor ID number does not imply compliance of certification in any way.

Device ID numbers will be generated by the individual vendors according to the specification.

**Company Name:** Changzhou Lem Electronic Co., Ltd.  
**Company Representative:** Jason Qian  
**Representative's Email Address:** qj@lemicable.cn  
**Authorized Signature:** Jason Qian Date: July 17 2018

**Please fill in any missing information above and return this form to [admin@usb.org](mailto:admin@usb.org).**

For USB use only.

**Vendor ID#** Decimal Format: 12453  
Hex Format: 303F

Date Assigned: 6/12/2018

**Producer:** Changzhou LEM Electronic Co., Ltd.  
1000 Yue Road  
Changzhou, Jiangsu, China

**Address:** Changzhou LEM Electronic Co., Ltd.  
1000 Yue Road  
2130219  
Changzhou, Jiangsu, China  
Phone: +86 519 85116666  
Fax: +86 519 85116666  
E-mail: [qj@lemicable.cn](mailto:qj@lemicable.cn)  
Website: [www.lemicable.com](http://www.lemicable.com)  
Authorized Signature: Wen Yang  
Authorized Name: Wen Yang  
Authorized Position: Top Executive China

Trade with purpose

This is an extract of the amfori Audit Report the complete report is available in the amfori BSCI Platform, please visit [www.amfori.org](http://www.amfori.org) for further details.

Page 1/1

### FACILITY AND MERCHANDISE AUTHORIZATION

**Manufacturer:** Changzhou Lem Electronic Co., Ltd.  
1000 Yue Road, Changzhou, Jiangsu, China  
Phone: +86 519 85116666  
Fax: +86 519 85116666  
E-mail: [qj@lemicable.cn](mailto:qj@lemicable.cn)  
Website: [www.lemicable.com](http://www.lemicable.com)

**Authorized Signatory:** Jason Qian  
Date: July 17 2018

<b>1. Facility Name:</b> Please check the facility name used in the product to be authorized. Facility Name: 1000 Yue Road, Changzhou, Jiangsu, China	<b>2. List all other names by which the Facility is known:</b> Facility Name: 1000 Yue Road, Changzhou, Jiangsu, China
<b>3. Facility Address:</b> Please check the facility address used in the product to be authorized. Facility Address: 1000 Yue Road, Changzhou, Jiangsu, China	<b>4. List all other addresses by which the Facility is known:</b> Facility Address: 1000 Yue Road, Changzhou, Jiangsu, China
<b>5. Facility Phone:</b> Please check the facility phone used in the product to be authorized. Facility Phone: +86 519 85116666	<b>6. Facility Fax:</b> Please check the facility fax used in the product to be authorized. Facility Fax: +86 519 85116666
<b>7. Facility Email:</b> Please check the facility email used in the product to be authorized. Facility Email: <a href="mailto:qj@lemicable.cn">qj@lemicable.cn</a>	<b>8. Facility Website:</b> Please check the facility website used in the product to be authorized. Facility Website: <a href="http://www.lemicable.com">www.lemicable.com</a>

**The USA Design Company:**  
Donaji Vejar  
Date: 2018-06-28

### CERTIFICATE OF COMPLIANCE

Certificate Number: 20170520-649160  
Report Reference: 649160/20170520  
Issue Date: 2017 MAY 30

**Issued to:** Changzhou LEM Electronic Co Ltd  
No. 1-1-1 Yue Rd, Changzhou, Jiangsu, China

This is to certify that **COMPONENT - APPLIANCE WIRING MATERIAL, STYLES SINGLE CONDUCTOR THERMOPLASTIC-INSULATED WIRE 1007, 1008, USA, 1050** has been investigated by UL in accordance with the Standards indicated on this Certificate.

**Standards for Safety:** UL 758 - Appliance Wiring Material  
**Additional Information:** See the UL Online Certification Directory at [www.ul.com/certification](http://www.ul.com/certification) for additional information.

### CERTIFICATE OF COMPLIANCE

Certificate Number: 20170520-649160  
Report Reference: 649160/20170520  
Issue Date: 2017 MAY 30

**Issued to:** Changzhou LEM Electronic Co Ltd  
No. 1-1-1 Yue Rd, Changzhou, Jiangsu, China

This is to certify that **COMPONENT - APPLIANCE WIRING MATERIAL, STYLES SINGLE CONDUCTOR THERMOPLASTIC-INSULATED WIRE 1007, 1008, USA, 1050** has been investigated by UL in accordance with the Standards indicated on this Certificate.

**Standards for Safety:** UL 758 - Appliance Wiring Material  
**Additional Information:** See the UL Online Certification Directory at [www.ul.com/certification](http://www.ul.com/certification) for additional information.

### CERTIFICATE OF COMPLIANCE

Certificate Number: 20170520-649160  
Report Reference: 649160/20170520  
Issue Date: 2017 MAY 30

**Issued to:** Changzhou LEM Electronic Co Ltd  
No. 1-1-1 Yue Rd, Changzhou, Jiangsu, China

This is to certify that **COMPONENT - APPLIANCE WIRING MATERIAL, STYLES SINGLE CONDUCTOR THERMOPLASTIC-INSULATED WIRE 275, 285, 2915, 2917** has been investigated by UL in accordance with the Standards indicated on this Certificate.

**Standards for Safety:** UL 758 - Appliance Wiring Material  
**Additional Information:** See the UL Online Certification Directory at [www.ul.com/certification](http://www.ul.com/certification) for additional information.

### IFI Manufacturing License

Certificate Number: 20170520-649160  
Report Reference: 649160/20170520  
Issue Date: 2017 MAY 30

**Issued to:** Changzhou LEM Electronic Co Ltd  
No. 1-1-1 Yue Rd, Changzhou, Jiangsu, China

This is to certify that **COMPONENT - APPLIANCE WIRING MATERIAL, STYLES SINGLE CONDUCTOR THERMOPLASTIC-INSULATED WIRE 275, 285, 2915, 2917** has been investigated by UL in accordance with the Standards indicated on this Certificate.

**Standards for Safety:** UL 758 - Appliance Wiring Material  
**Additional Information:** See the UL Online Certification Directory at [www.ul.com/certification](http://www.ul.com/certification) for additional information.

### The Authentication Certificate of Occupational Health and Safety Management System

**CHANGZHOU LEMI ELECTRONIC CO., LTD**

Approved/Produced/Reviewed/Issue Address: Yue Road 1-1-1, 3124 Industrial Zone, Shuangta, Changzhou, Jiangsu

In compliance with **GB/T28001-2011/OHSAS18001:2007** recognized requirements, the results are valid for the following scope:

High performance high speed transmission of data products and the related equipment health and safety

**Responsible To:** Mr. Qian Jason  
**Issue of the Certificate/Valid:** 2018-07-27  
**Issue of the Certificate/Valid:** 2018-07-27  
**Expiration/Registration Code:** 18102000000000000000

### The Authentication Certificate of Environmental Management System

**CHANGZHOU LEMI ELECTRONIC CO., LTD**

Approved/Produced/Reviewed/Issue Address: Yue Road 1-1-1, 3124 Industrial Zone, Shuangta, Changzhou, Jiangsu

In compliance with **GB/T24001-2016/ISO14001:2015** recognized requirements, the results are valid for the following scope:

High performance high speed transmission of data products and the related equipment environmental management

**Responsible To:** Mr. Qian Jason  
**Issue of the Certificate/Valid:** 2018-07-27  
**Issue of the Certificate/Valid:** 2018-07-27  
**Expiration/Registration Code:** 18102000000000000000

### The Authentication Certificate of Quality Management System

**CHANGZHOU LEMI ELECTRONIC CO., LTD**

Approved/Produced/Reviewed/Issue Address: Yue Road 1-1-1, 3124 Industrial Zone, Shuangta, Changzhou, Jiangsu

In compliance with **GB/T19001-2016/ISO9001:2015** recognized requirements, the results are valid for the following scope:

High performance high speed transmission of data products

**Responsible To:** Mr. Qian Jason  
**Issue of the Certificate/Valid:** 2018-07-27  
**Issue of the Certificate/Valid:** 2018-07-27  
**Expiration/Registration Code:** 18102000000000000000

### Certified HDMI Adopter 2018

HDMI LICENSING ADMINISTRATOR, INC.

**CHANGZHOU LEMI ELECTRONIC CO., LTD**

November 21, 2019

### CERTIFICATE OF PREMIUM HDMI CABLE

**ADOPTER:** Changzhou Lem Electronic Co., Ltd.  
**TEST CONFIRMATION:** The cable is confirmed to be in compliance with the HDMI specification.

### CONFIRMATION OF HDMI ATC TESTING

**ADOPTER:** Changzhou Lem Electronic Co., Ltd.  
**TEST CONFIRMATION:** The cable is confirmed to be in compliance with the HDMI specification.





# Thunderbolt 3.0 and USB 3.2 Cable

## Thunderbolt™ 3


### LM06-1601

Thunderbolt 3.0 Cable

40Gbps 100W

Data transfer speed is up to 40Gbps

Support PD function with MAX 100W(5A 20V).



**Thunderbolt 3**  
(USB4.0)

**40Gbps**

**USB3.2 Gen 2\*1**  
(USB3.1)

**10Gbps**

**USB3.2 Gen 1\*1**  
(USB3.0)

**5Gbps**

**USB2.0**

**480Mbps**

### LM06-1602

USB 3.2 Gen2\*1 10Gbps

Type-C to Type-C

Metal Shell+Nylon Braid

Optional Function: PD

### LM06-1603

USB 3.2 Gen2\*1 10Gbps

Type-C to Type-C


Molding Type

Optional Function: PD





**LM06-1501**  
 USB 3.2 Gen1\*1 5Gbps  
 USB AM to Type-C  
 Metal Shell+Nylon Braid



**LM06-1502**  
 USB 3.2 Gen1\*1 5Gbps  
 USB AM to Type-C  
 Metal Shell+Nylon Braid



**LM06-1503**  
 USB 3.2 Gen1\*1 5Gbps  
 Type-C to Type-C  
 Metal Shell+Nylon Braid



**LM06-1504**  
 USB 3.2 Gen1\*1 5Gbps  
 Type-C to USB AF  
 Metal Shell+Nylon Braid



**LM06-1505**  
 USB 3.2 Gen1\*1 5Gbps  
 USB AM to Micro BM  
 Metal Shell+Nylon Braid

# USB 2.0 Cable



## LM06-1101

- A: USB AM to Lightning 8P
  - B: USB AM to Android Micro
  - C: USB AM to Type-C
  - D: Type-C to Type-C
- Metal Shell+Nylon Braid



10000+



SAFETY



FAST  
CHARGE



480  
Mbps




HIGH  
QUALITY






**LM06-1102**  
 Pillar  
 A: USB AM to Lightning 8P  
 B: USB AM to Android Micro  
 C: USB AM to Type-C  
 D: Type-C to Type-C  
 Metal Shell+Nylon Braid




**LM06-1104**  
 A: USB AM to Lightning 8P  
 B: USB AM to Android Micro  
 C: USB AM to Type-C  
 D: Type-C to Type-C  
 Metal Shell+Nylon Braid



**LM06-1103**  
 Hot Style  
 A: USB AM to Lightning 8P  
 B: USB AM to Android Micro  
 C: USB AM to Type-C  
 D: Type-C to Type-C  
 Metal Shell+Nylon Braid



10000+

SAFETY

FAST CHARGE

480 Mbps

HIGH QUALITY


# USB 2.0 Cable



LM06-1105  
5A Super Charge  
USB AM to Type-C  
Metal Shell+Nylon Braid  
In-Mold Decoration



LM06-1106  
5A Super Charge  
USB AM to Type-C  
Metal Shell+Nylon Braid



LM06-1107  
5A OPPO Cable  
Type-C Super VOOC  
ABS Shell



LM06-1108  
5A Super Charge Cable  
USB AM to Type-C  
Molding Type





**LM06-1109**  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C  
 Metal Shell+Nylon Braid



**LM06-1110**  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C  
 Metal Shell+Nylon Braid



**LM06-1111**  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C  
 Metal Shell+Nylon Braid



**LM06-1112**  
 Arrow  
 USB AM to Lightning 8P  
 Metal Shell+Nylon Braid



**LM06-1113**  
 Little Square  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C  
 Metal Shell+Nylon Braid



**LM06-1114**  
 Safeguard  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C  
 Metal Shell+Nylon Braid

# USB 2.0 Cable



**LM06-1201**  
 Fast Charge  
 USB AM to  
 A:lightning 8P  
 B:Android Micro  
 C:Type-C  
 Molding type



**LM06-1202**  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C  
 Molding Type



**LM06-1203**  
 USB AM to Lightning 8P  
 Dual Color Molding Type



**LM06-1204**  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C  
 ABS+Dual Color Molding Type



**LM06-1205**  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C  
 Dual Color Molding Type



**LM06-1206**  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C  
 Dual Color Molding Type







**LM06-1251**  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C  
 Zinc Alloy Shell



**LM06-1252**  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C  
 Zinc Alloy Shell



**LM06-1253**  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C  
 Zinc Alloy Shell



**LM06-1254**  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C  
 Zinc Alloy Shell



**LM06-1256**  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C  
 Zinc Alloy Shell  
 Flat Cable



**LM06-1257**  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C  
 Zinc Alloy Shell



**LM06-1255**  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C  
 Zinc Alloy Shell  
 +Metal Spring Cable

# USB 2.0 Cable



**LM06-1301**  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C  
 Molding Type  
 Flat Cable



**LM06-1302**  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C  
 Zinc Alloy Shell+Denim Jacket  
 Flat Cable



**LM06-1305**  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C  
 Metal Shell+Nylon Braid  
 Flat Cable



**LM06-1303**  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C  
 Metal Shell+Nylon Braid  
 Flat Cable



**LM06-1304**  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C  
 Zinc Alloy Shell  
 Flat Cable





LM06-1401  
USB AM to  
A:Lightning 8P  
B:Android Micro  
C:Type-C  
Molding Type



LM06-1402  
USB AM to  
A:Lightning 8P  
B:Android Micro  
C:Type-C  
Molding Type



LM06-1403  
USB AM to  
A:Lightning 8P  
B:Android Micro  
C:Type-C  
Metal Shell+Nylon Braid



LM06-1404  
USB AM to  
A:Lightning 8P  
B:Android Micro  
C:Type-C  
Metal Shell+Nylon Braid




LM06-1405  
USB AM to  
A:Lightning 8P  
B:Android Micro  
C:Type-C  
Metal Shell



LM06-1406  
USB AM to  
A:Lightning 8P  
B:Android Micro  
C:Type-C  
Zinc Alloy Shell

# Multi-Function Cable / Magnetic Cable



LM06-1702

3 in 1 USB Cable

Type-C+Android Micro+Lightning



LM06-1701

3 in 1 USB Cable

Type-C+Android Micro+Lightning

HOT!



LM06-1703

2 in 1 USB Cable

Type-C to USB AM+Type-C



LM06-1704

3 in 1 USB Cable

Type-C+Android Micro+Lightning



LM06-1705

3 in 1 USB Cable

Type-C+Android Micro+Lightning



Storage Function

LM06-1741

3 in 1 Magnetic Cable  
Type-C / Android Micro / Lightning  
Data Transfer & Charge Sync

HOT!



LM06-1742  
3 in 1 Magnetic Cable  
Type-C/Android Micro/Lightning  
Data Transfer & Charge Sync



LM06-1743  
3 in 1 Magnetic Cable  
Type-C/Android Micro/Lightning  
Data Transfer & Charge Sync



LM06-1744  
3 in 1 Magnetic Cable  
Type-C/Android Micro/Lightning  
Charge

# LED Cable



**LM06-1761**  
Smart LED Cable  
USB AM to  
A:Lightning 8P  
B:Type-C  
Zinc Alloy Shell

Smart power off and overcharge protection to protect the battery of cellphone. Support APO function for lightning 30min after full charge while for Type-C/Micro 15min after full charge.




**LM06-1762**  
Smart LED Cable  
USB AM to Lightning 8P  
Metal Shell+Nylon Braid



**LM06-1763**  
LED Light Cable  
USB AM to  
A:Lightning 8P  
B:Android Micro  
C:Type-C  
Zinc Alloy Shell



Volume control smart chip LED lighting flashes with the rhythm of music, dynamic & cool



**LM06-1765**  
Rhythm Cable  
USB AM to  
A:Lightning 8P  
B:Android Micro  
C:Type-C  
Metal Shell



**LM06-1766**  
Smart LED Cable  
USB AM to  
A:Lightning 8P  
B:Android Micro  
C:Type-C  
ABS Shell  
Flat cable



**LM06-1767**  
Smart LED Cable  
USB AM to  
A:Lightning 8P  
B:Android Micro  
C:Type-C  
ABS Shell



**LM06-1768**  
LED Light Cable  
USB AM to  
A:Lightning 8P  
B:Android Micro  
C:Type-C  
Metal Shell



**LM06-1769**  
2 in 1 LED Light USB Cable  
USB AM to  
A:Android Micro+Lightning  
B:Android Micro+Type-C  
Metal Shell

# Game Cable and Gift Cable



**LM06-1801**  
 iPhone Audio Cable  
 USB AM to  
 Lightning M/Lightning F  
 Metal Shell+Nylon Braid  
 Music/Calling/Charging



**LM06-1802**  
 iPhone Audio Cable  
 USB AM to  
 Lightning M/Lightning F  
 Metal Shell+Nylon Braid  
 Music/Calling/Charging



**LM06-1803**  
 Bracket Cable  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C  
 Metal Shell



**LM06-1804**  
 Cable Adapter for Game  
 Single Sucker  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C



**LM06-1805**  
 Cable Adapter for Game  
 Double Sucker  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C



**LM06-1806**  
 Back Clip Adapter  
 Lightning M to 2\*Lightning F  
 ABS  
 Music/Calling/Charging



**LM06-1807**  
 Game Cable  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C  
 Dual Color Molding Type

**LM06-1808**  
 Game Cable  
 USB AM to Lightning 8P  
 Zinc Alloy Shell







**LM06-1851**  
 Gift Key Chain  
 USB AM to  
 A:Lightning 8P  
 B:Android Micro  
 C:Type-C



**LM06-1852**  
 5 in 1 Gift Key Chain Cable  
 USB AM + OTG Type-C  
 to Type-C / Android Micro 5P / Lightning 8P



**LM06-1853**  
 Bracket Adapter  
 +Charge Cable  
 USB AM to  
 Type-C / Android Micro  
 5P / Lightning 8P



**LM06-1854**  
 Gift Cable  
 USB AM to Type-C / Android Micro 5P  
 / Lightning 8P



**LM06-1855**  
 4 in 1 Gift Cable  
 USB AM to  
 Type-C+Android Micro 5P+  
 Lightning 8P+Mini 5P



**LM06-1857**  
 Gift Cable  
 USB AM to  
 Type-C/Android Micro 5P  
 / Lightning 8P



**LM06-1856**  
 3 in 1 LED Gift Cable  
 USB AM to  
 Type-C+Android Micro 5P+Lightning 8P

**LM06-1858**  
 2 in 1 Gift Cable  
 USB AM to  
 Android Micro 5P+Lightning 8P

**LM06-1859**  
 3 in 1 Gift Cable  
 USB AM to  
 Type-C+Android Micro 5P  
 +Lightning 8P

# MFI Cable



LM06-1901  
USB A M to Lightning 8P M (C89)  
Molding Type  
Made for iPhone/iPad/iPod



LM06-1902  
USB A M to Lightning 8P M (C89)  
Dual Color Molding Type  
Made for iPhone/iPad/iPod



LM06-1903  
USB A M to Lightning 8P M (C89)  
ABS Shell  
Made for iPhone/iPad/iPod



LM06-1904  
USB A M to Lightning 8P M (C89)  
Metal Shell+Nylon Braid  
Made for iPhone/iPad/iPod




LM06-1905  
Rainbow Cable  
USB A M to Lightning 8P M (C89)  
Metal Shell+Nylon Braid  
Made for iPhone/iPad/iPod



LM06-1906  
USB A M to Lightning 8P M (C89)  
Metal Shell+Nylon Braid  
Made for iPhone/iPad/iPod



**LM06-1959**  
 PD Fast Charge Cable  
 Type-C M to Lightning 8P M (C94)  
 Molding Type  
 Made for iPhone/iPad/iPod



**LM06-1951**  
 PD Fast Charge Cable  
 Type-C M to Lightning 8P M (C94)  
 Molding Type  
 Made for iPhone/iPad/iPod



**LM06-1952**  
 PD Fast Charge Cable  
 Type-C M to Lightning 8P M (C94)  
 Molding Type  
 Made for iPhone/iPad/iPod



**LM06-1953**  
 PD Fast Charge Cable  
 Type-C M to Lightning 8P M (C94)  
 Dual Color Molding Type  
 Made for iPhone/iPad/iPod



**LM06-1954**  
 PD Fast Charge Cable  
 Type-C M to Lightning 8P M (C94)  
 ABS Shell  
 Made for iPhone/iPad/iPod



**LM06-1955**  
 PD Fast Charge Cable  
 Type-C M to Lightning 8P M (C94)  
 Metal Shell+Nylon Braid  
 Made for iPhone/iPad/iPod



**LM06-1956**  
 PD Fast Charge Cable  
 Type-C M to Lightning 8P M (C94)  
 Metal Shell+Nylon Braid  
 Made for iPhone/iPad/iPod



**LM06-1957**  
 PD Fast Charge Cable  
 Type-C M to Lightning 8P M (C94)  
 Metal Shell+Nylon Braid  
 Made for iPhone/iPad/iPod



**LM06-1958**  
 PD Fast Charge Cable  
 Type-C M to Lightning 8P M (C94)  
 Metal Shell+Nylon Braid  
 Made for iPhone/iPad/iPod



# Classic Cable / MHL Cable



LM05-1102  
Perfect Curve Cable  
USB AM to  
A:Lightning 8P  
B:Android Micro  
C:Type-C  
Molding Type



LM05-1103  
USB AM to  
A:Lightning 8P  
B:Android Micro  
C:Type-C  
Molding Type



LM05-1104  
USB AM to  
A:Lightning 8P  
B:Android Micro  
C:Type-C  
Molding Type



LM05-1105  
USB AM to  
A:Lightning 8P  
B:Android Micro  
C:Type-C  
Molding Type



LM05-1108  
USB AM to  
A:Lightning 8P  
B:Android Micro  
C:Type-C  
ABS Shell



LM05-1118  
USB AM to  
A:Lightning 8P  
B:Android Micro  
C:Type-C  
Metal Shell+Nylon Braid



LM05-1122  
USB AM to  
A:Lightning 8P  
B:Android Micro  
C:Type-C  
Metal Shell+Nylon Braid



LM05-1126  
USB AM to  
A:Lightning 8P  
B:Android Micro  
C:Type-C  
Zinc Alloy Shell



LM05-1151  
USB AM to  
A:Lightning 8P  
B:Android Micro  
C:Type-C  
Metal Shell+Nylon Braid



**LM05-2811**  
Lightning 8P M to USB AM+ HDMI AM 1080P 60HZ  
Plug and Play



**LM05-2812**  
USB AF to USB AM+ HDMI AM 1080P 60HZ  
Plug and Play  
Support Bluetooth Audio Transfer



**LM05-2813**  
Type-C M to HDMI AF 4K 30HZ  
Plug and Play



**LM05-2814**  
Micro M/Lightning 8P M/Type-C M 3 in 1 to USB AM+ HDMI AM 1080P 60HZ  
Plug and Play  
Support Bluetooth Audio Transfer



**LM05-2815**  
Type-C M to HDMI AF PU Jacket 4K 60HZ  
Plug and Play



**LM05-2816**  
Type-C M to HDMI AM PU Jacket 4K 60HZ  
Plug and Play



**LM05-2817**  
3 in 1 Adapter  
HDMI AF to DP M/MINI DP M/Type-C M 4K 30HZ  
Plug and Play




**LM05-2818**  
3 in 1 Adapter With Cable  
HDMI AM to DP M/MINI DP M/Type-C M 4K 30HZ  
Plug and Play

# Embedded Charger on Tabletop / Wall Charger



LM06-2001

Embedded Charger on Tabletop  
with 1.5M USB Cable  
with Lift Mechanism  
Output:3\*USB 2.0 5V 3.1A in Total



LM06-2002

Embedded Charger on Tabletop  
with 1.5M Power Cable  
Output:3\*USB 2.0 5V 3.1A in Total



LM06-2003

Embedded Charger on Tabletop  
with 1.5M USB Cable  
Output:3\*USB 2.0 5V 2.1A in Total





**LM06-2004**  
 PD Wall Charger  
 Input: AC 110-240V  
 Output: PD  
 18W




**LM06-2005**  
 PD Wall Charger  
 Input: AC 110-240V  
 Output: PD  
 A: 30W B: 45W C: 65W



**LM06-2006**  
 Dual PD Wall Charger  
 Input: AC 110-240V  
 Output: PD+PD  
 48W



**LM06-2007**  
 PD+QC3.0 Wall Charger  
 Input: AC 110-240V  
 Output: PD+QC3.0  
 36W



**LM06-2008**  
 PD+QC3.0 Wall Charger  
 Input: AC 110-240V  
 Output: A: PD+QC 48W  
 B: PD+QC+USB 2.0 48W  
 C: PD+QC+2\*USB 2.0 48W



**LM06-2009**  
 4 Ports USB2.0 Wall Charger  
 Input: AC 110-240V  
 Output: 5V 4.8A in Total  
 US EU UK AU

**LM06-2010**  
 Aluminum Shell Wall Charger  
 Input: AC 110-240V  
 Output: A:PD 18W  
 B: QC3.0 18W  
 C: PD+USB 2.0 18W  
 D: 3\*USB 2.0 5V 3.1A in Total

# Wall Charger



- Temperature Protection
- Short-Circuit Protection
- Input Overvoltage Protection
- Reset Protection
- Output Over-Current Protection
- Output Over-Voltage Protection
- PTC Protection
- Over Charge & Over Discharge Protection



Qualcomm Quick Charge 3.0

LM06-2011  
 PD Wall Charger  
 Input: AC 110-240V  
 Output: PD+USB 2.4A  
 18W/30W




LM06-2012  
 Dual USB Wall charger  
 Input: AC 110-240V  
 Output: USB 2.4A+USB 2.4A  
 24W



LM06-2013  
 Dual USB Wall charger  
 Input: AC 110-240V  
 Output: QC3.0+USB 2.4A  
 30W



LM06-2014  
 Dual QC3.0 USB Wall charger  
 Input: AC 110-240V  
 Output: QC3.0+QC3.0  
 36W



LM06-2015  
 QC3.0 Wall charger  
 Input: AC 110-240V  
 Output: QC3.0 18W  
 3D Printing + UL Certificate



LM06-2016  
 Dual USB Wall charger  
 Input: AC 110-240V  
 Output: 5V 3.4A in Total  
 3D Printing + UL Certificate




LM06-2017  
 3\*USB Wall charger  
 Input: AC 110-240V  
 Output: 5V 3.4A in Total  
 3D Printing + UL Certificate



**LM06-2018**  
 QC3.0 Wall Charger  
 Input: AC 110-240V  
 Output: QC 3.0 18W



**LM06-2019**  
 QC3.0 Wall Charger  
 Input: AC 110-240V  
 Output: QC 3.0 18W



**LM06-2020**  
 QC3.0 Wall Charger  
 Input: AC 110-240V  
 Output: A: QC 3.0 18W  
 B: 2\*USB 2.0 5V 2.4A in Total



**LM06-2021**  
 QC 3.0 Wall Charger  
 Input: AC 110-240V  
 Output: QC 3.0 18W



**LM06-2022**  
 QC 3.0 Wall Charger  
 Input: AC 110-240V  
 Output: QC 3.0 18W



**LM06-2023**  
 Dual USB Wall Charger  
 Input: AC 110-240V  
 Output: 5V 2.4A in Total



**LM06-2024**  
 Aluminum shell QC 3.0 Wall Charger  
 Input: AC 110-240V  
 Output: QC 3.0 18W



**LM06-2025**  
 Aluminum shell QC 3.0 Wall Charger  
 Input: AC 110-240V  
 Output: QC 3.0 18W



**LM06-2026**  
 Aluminum shell Wall Charger  
 Input: AC 110-240V  
 Output:A: QC 3.0 18W  
 B: PD 18W



# Car Charger



**LM06-2501**  
 LED PD+QC 3.0 Car Charger  
 Input:12V-24V  
 Output: A: PD+QC 3.0 27W  
 B: 2\*QC 3.0 27W



**LM06-2502**  
 PD Car Charger  
 Input: 12V-24V  
 Output: PD 18W



**LM06-2503**  
 PD Car Charger  
 Input: 12V-24V  
 Output: PD 18W



**LM06-2504**  
 3 Ports Car Charger  
 Input: 12V-24V  
 Output: A: PD+2\*USB 2.0 30W  
 B: QC 3.0+2\*USB 2.0 30W



**LM06-2505**  
 USB2.0 Car Charger  
 Input: 12V-24V  
 Output: A:USB 2.0 5V 2.4A in Total  
 B: PD+USB2.0 18W  
 C: 2\*USB 2.0 5V 3.1A in Total



**LM06-2506**  
 Dual QC 3.0 Car Charger  
 Input: 12V-24V  
 Output: 2\* QC 3.0 36W



**LM06-2507**  
 QC 3.0+USB 2.0 Car Charger  
 Input: 12V-24V  
 Output: QC 3.0+USB 2.0: 5V 2.4A 18W



**LM06-2508**  
 QC 3.0+USB 2.0 Car Charger  
 Input: 12V-24V  
 Output: QC 3.0+USB 2.0: 5V 2.4A 18W



**LM06-2509**  
 QC 3.0 Car Charger  
 Input: 12V-24V  
 Output: QC 3.0 18W



**LM06-2510**  
 2 Ports Car Charger  
 Input: 12V-24V  
 Output: 2\*USB 2.0: 5V 3.1A in Total



**LM06-2511**  
 2 Ports Car Charger  
 Input: 12V-24V  
 Output: 2\*USB 2.0: 5V 3.1A in Total



**LM06-2512**  
 2 Ports Car Charger  
 Input: 12V-24V  
 Output: 2\*USB 2.0: 5V 3.1A in Total



**LM06-2513**  
 2 Ports Car Charger  
 Input: 12V-24V  
 Output: 2\*USB 2.0: 5V 3.1A in Total



**LM06-2514**  
 QC 3.0+USB 2.0 Car Charger  
 Input: 12V-24V  
 Output: QC 3.0+USB 2.0: 5V 2.4A 18W



# Car Charger



**LM06-2515**  
 Dual QC 3.0 Car Charger  
 Input: 12V-24V  
 Output: 2\*QC 3.0, 35W



**LM06-2516**  
 QC 3.0 Car Charger  
 Input: 12V-24V  
 Output: QC 3.0 18W



**LM06-2517**  
 USB Car Charger  
 Input: 12V-24V  
 Output: A:QC 3.0 18W  
 B:2\*USB 2.0 5V 3.1A in Total



**LM06-2518**  
 Mushroom USB Car Charger  
 Input: 12V-24V  
 Output: A: QC 3.0 18W  
 B: 2\*USB 2.0 5V 3.1A in Total



**LM06-2519**  
 2 Ports Car Charger  
 Input: 12V-24V  
 Output: 2\*USB 2.0: 5V 2.1A in Total



**LM06-2520**  
 2 Ports Car Charger  
 Input: 12V-24V  
 Output: 2\*USB 2.0: 5V 3.1A in Total



**LM06-2521**  
 2 Ports Car Charger  
 Input: 12V-24V  
 Output: 2\*USB 2.0: 5V 4.2A in Total



**LM06-2522**  
 Bone Car Charger  
 Input: 12V-24V  
 Output: A:QC 3.0 18W  
 B:PD+QC 3.0 36W  
 C:2\*USB 2.0 5V 3.1A in Total  
 D:3\*USB 2.0 5V 5.2A in Total



**LM06-2523**  
 QC 3.0+USB 2.0 Car Charger  
 Input: 12V-24V  
 Output: QC 3.0+USB 2.0: 5V 2.4A 18W  
 A:with LED Light  
 B:without LED Light





**LM06-2524**  
 3 Ports Car Charger  
 Input: 12V-24V  
 Output: A: QC 3.0+2\*USB 2.0 MAX:6.2A  
 B: PD+2\*USB 2.0 MAX:6.2A



**LM06-2525**  
 Multiport Car Charger  
 Input: 12V-24V  
 Output: A: QC 3.0+2\*USB 2.0 MAX:6.2A  
 B: PD+3\*USB 2.0 MAX:6.2A



**LM06-2526**  
 3Ports Car Charger  
 Input: 12V-24V  
 Output: PD+2\*USB2.0: 5V 2.4A 18W



**LM06-2527**  
 3 Ports Car Charger  
 Input: 12V-24V  
 Output: QC 3.0 18W  
 PD+US B2.0 3.1A in Total



**LM06-2528**  
 3 Ports Car Charger  
 Input: 12V-24V  
 Output: QC 3.0 18W  
 2\*USB 2.0 5V 2A in Total



**LM06-2529**  
 2 Ports Car Charger with Bluetooth Earphone  
 Input: 12V-24V  
 Output: 2\*USB 2.0 5V 2.4A in Total



**LM06-2530**  
 Single USB Port Car Charger with Type-C Cable  
 Input: 12V-24V  
 Output: 5V 5.4A in Total




**LM06-2531**  
 Single USB Port Car Charger with 3 in 1 Cable  
 Lightning 8P+Android Micro+Type-C  
 Input: 12V-24V  
 Output: 5V 2.1A in Total



**LM06-2532**  
 4 Ports Car Charger with Case  
 Input: 12V-24V  
 Output: 2\*QC 3.0 36W  
 2\*USB 2.0: 5V 2.4A in total

# Audio Adapter



**LM03-1721**  
 iPhone Audio Cable  
 iPhone 8P M to 3.5 Stereo M



**LM03-1722**  
 3 in 1 Lightning Audio Adapter  
 Lightning 8P M to  
 Lightning 8P F :Music & Calling  
 Lightning 8P F : Charge  
 3.5 Stereo F : Music



**LM03-1723**  
 2 in 1 Lightning Audio Adapter  
 Lightning 8P M to  
 Lightning 8P F : Charge  
 3.5 Stereo F : Music



**LM03-1724**  
 2 in 1 Lightning Audio Adapter  
 Lightning 8P M to  
 Lightning 8P F : Charge  
 Lightning 8P F :Music & Calling



**LM03-1725**  
 2 in 1 Type-C Audio Adapter  
 Type-C M to  
 Type-C F : Charge  
 Type-C F : Music & Calling



**LM03-1726**  
 2 in 1 Type-C Audio Adapter  
 Type-C M to  
 Type-C F : Charge  
 3.5 stereo F: Music & Calling



**LM03-1727**  
 MINI Adapter  
 A:Lightning 8P M to Type-C F  
 B:Lightning 8P F to Type-C M  
 Support Data & Charge



**LM03-1728**  
 3.0 USB MINI Adapter  
 USB A M to Type-C F  
 Support Data & Charge



**LM03-1729**  
 2 in 1 Portable Lightning Audio Adapter  
 Lightning 8P M to  
 Lightning 8P F : Charge  
 Lightning 8P F :Music & Calling

# HUB



**LM03-2011**  
3 in 1 Type-C HUB  
PD+HDMI AF 4K 60HZ+USB 2.0AF



**LM03-2012**  
4 in 1 Dual Type-C Ports HUB  
PD+HDMI AF 4K 60HZ+2\*USB 2.0AF



**LM03-2013**  
5 in 1 Dual Type-C Ports HUB  
PD+HDMI AF 4K 60HZ+USB 2.0AF+SD+TF



**LM03-2014**  
2 in 1 Type-C HUB  
HDMI AF 4K 60HZ+VGA F



**LM03-2015**  
4 in 1 Type-C HUB  
PD+HDMI AF 4K 60HZ+VGA F+USB 2.0AF



**LM03-2016**  
5 in 1 Mirror Surface Type-C HUB  
PD+HDMI AF 4K 60HZ+3\*USB 2.0AF



**LM03-2017**  
6 in 1 Mirror Surface Type-C HUB  
PD+HDMI AF 4K 60HZ+3\*USB 2.0AF+1000M LAN



**LM03-2018**  
8 in 1 Mirror Surface Type-C HUB  
PD+HDMI AF 4K 60HZ+3\*USB 2.0AF  
+1000M LAN+SD+TF



# HUB / Power Bank



**LM03-2019**  
5 in 1 Type-C HUB  
PD+HDMI AF 4K 30HZ+3\*USB  
3.0AF



**LM03-2020**  
7 in 1 Type-C HUB  
PD+HDMI AF 4K 30HZ+3\*USB  
3.0AF+SD+TF



**LM03-2021**  
8 in 1 Type-C HUB  
PD+HDMI AF 4K 30HZ+3\*USB  
3.0AF+SD+TF+ Audio



**LM03-2022**  
9 in 1 Type-C HUB  
PD+HDMI AF 4K 30HZ+3\*USB  
3.0AF+SD+TF+ Audio+VGA F



**LM03-2023**  
Type-C to 2\*3.5mm Stereo F+PD  
1. 3.5mm Stereo F: Support Music/Calling  
2. 3.5mm Stereo F: Support Music/Calling  
3. PD: Support Charging 5V/3A



**LM03-2024**  
Type-C to PD+Type-C F+3.5mm Stereo F  
1. PD: Support Charging 5V/3A  
2. Type-C F: Support Music/Calling  
3. 3.5mm Stereo F: Support Music/Calling



**LM03-2025**  
Type-C to 2\*3.5mm Stereo F + Type-C  
1. 2\*3.5mm Stereo F: Support Music  
2. Type-C: Support Music/Calling/Charging  
5V/3A



**LM03-2026**  
Type-C to PD+RJ45+USB AF  
1. PD: Support Charging 5V/3A  
2. RJ45: Support Internet  
3. USB AF: Support OTG



**LM03-2027**  
Type-C to PD+3.5mm Stereo F + USB AF  
1. PD: Support Charging 5V/3A  
2. 3.5mm Stereo F: Support Music  
3. USB AF: Support OTG



### LM03-2213

Metal texture design / Four LED lights display / Built-in cable for easy charging / Multiple safety protections  
 Battery Capacity: Li-polymer 10,000mAh  
 Input: 5V 2.1A  
 Output: 5V 2.1/1A  
 Dimensions: 68 X 143 X 14 mm



### LM03-2214

Special leather textured design / Digital LED power display / Dual USB output / Multiple safety protections  
 Battery Capacity: Li-polymer 10,000mAh  
 Input: 5V 2.1A  
 Output: 5V 2.1/1A  
 Dimensions: 63 X 94 X 25 mm



### LM03-2215

Special handle textured design / Four LED lights display / Dedicated USB-C Input / Multiple safety protections  
 Battery Capacity: Li-polymer 10,000mAh  
 Input: 5V 2.1A  
 Output: 5V 2.1/1A  
 Dimensions: 68 X 136 X 16 mm



### LM03-2216

Metal texture design / Four LED lights display / Built-in cable for easy charging / Multiple safety protections  
 Battery Capacity: Li-polymer 10,000mAh  
 Input: 5V 2.1A  
 Output: 5V 2.1/1A  
 Dimensions: 68 X 143 X 14 mm



### LM03-2217

Special leather textured design / Four LED lights display / Built-in cable for easy charging / Multiple safety protections  
 Battery Capacity: Li-polymer 10,000mAh  
 Input: 5V 2.1A  
 Output: 5V 2.1/1A  
 Dimensions: 63 X 94 X 25 mm



### LM03-2218

Metal texture design / Four LED lights display / Built-in cable for easy charging / Multiple safety protections  
 Battery Capacity: Li-polymer 10,000mAh  
 Input: 5V 2.1A  
 Output: 5V 2.1/1A  
 Dimensions: 68 X 136 X 16 mm



### LM03-2219

Macaroon color design / Four LED lights display / Dual USB output / Multiple safety protections  
 Battery Capacity: Li-polymer 5,000mAh  
 Input: 5V 2.1A  
 Output: 5V 2.1/1A  
 Dimensions: 63 X 94 X 15 mm

# Wireless Charger



**LM03-2411**  
 3 in 1 Fast Wireless Charger  
 For Cellphone & iWatch & AirPods  
 Input: 12V 2A/9V 2.7A  
 Output: 15W MAX



**LM03-2412**  
 Fast Wireless Charger  
 Input: 5V 2A/9V 2A  
 Output: 10W MAX

**LM03-2413**  
 Fast Wireless Charger  
 Input: 5V 2A/9V 2A  
 Output: 10W MAX



**LM03-2414**  
 Flying Saucer Wireless Charger  
 Input: 5V 2A/9V 2A  
 Output: 10W MAX

**LM03-2415**  
 Magic Circle Wireless Charger  
 Input: 5V 2A/9V 2A  
 Output: 10W MAX






LM03-2416  
Fast Wireless Charger  
Input: 5V 2A/9V 2A  
Output:10W MAX



LM03-2417  
Fast Wireless Charger for Cellphone  
& iWatch together  
Input: 5V 2A/9V 2A  
Output:10W MAX



LM03-2418  
Fast Wireless Charger for Cellphone  
& iWatch together  
Input: 5V 2A/9V 2A  
Output:10W MAX



LM03-2419  
Dual Position Fast Wireless Charger  
Input: 5V 2A/9V 2A  
Output: 10W+10W MAX

# Wireless Charger / Jacket of Cable




**LM03-2420**  
Wireless Car Charger  
Input: QC3.0  
Output: 10W MAX



**LM03-2421**  
IR Sensor Automatic Wireless Charger  
Car Holder for Car Air Vent  
Input: QC3.0  
Output: 15W MAX



**LM03-2422**  
IR Sensor Automatic Wireless Charger  
Car Holder for Car Air Vent  
Input: QC3.0  
Output: 15W MAX



**LM03-2423**  
Wireless Charger Car Holder  
Input: QC3.0  
Output: 15W MAX



**LM03-2424**  
IR Sensor Automatic Wireless Charger  
Car Holder for Car Air Vent  
Input: QC3.0  
Output: 15W MAX



**LM03-2425**  
Wireless Charger Car Holder  
Glossy Surface with Glass  
Input: QC3.0  
Output: 15W MAX





**LM03-2426**  
IR Sensor Automatic Wireless Charger  
Car Holder for Car Air Vent  
IR Sensor/Touch Sensor/Button Control  
Input: 9V/1.67A  
Output: 10W MAX



**LM03-2427**  
Wireless Charger Auto Lock  
Gravity Car Holder with  
Special Locking Function  
Glossy Surface with Glass  
Input: 9V/1.67A  
Output: 10W MAX





1~27	Nylon Braid	31	PVC Decorative Pattern Jacket	34~36	PU Braid
28~29	Compound material Braid	32	TPE Jacket	37	Metal Spring Cable
30	PVC Jacket	33	Jean Jacket		



# Packaging

## LM11-1302

360° Rotation Display Box  
 Packing Style: Display Box  
 Material: Duplex Paperboard  
 Product:gift Box  
 Size:21Mm\*21Mm\*57Mm



## LM11-1032

Magnetic Gift Box  
 Packing style: Gift Box  
 Material: 350g White cardboard + PET Blister+Lodestone  
 Product:Data Cable  
 Size:168MM\*76MM\*20MM



## LM11-1033

Magnetic Gift Box  
 Packing style: Gift Box  
 Material: 350g White cardboard + PET Blister+Lodestone  
 Product:Data Cable or Charger  
 Size:175MM\*120MM\*30MM



## LM11-1034

Gift Box  
 Packing style: Gift Box  
 Material: 350g White cardboard + PET Blister  
 Product:Car Charger  
 Size:150MM\*95MM\*20MM



LM11-1035  
Gift Box for USB Cable



LM11-1036  
Gift Box for USB Cable



LM11-1037  
Gift Box for USB Cable



LM11-1038  
Gift Box for USB Cable



LM11-1039  
Gift Box for USB Cable



LM11-1040  
Gift Box for USB Cable



LM11-1041  
Gift Box for USB Cable



LM11-1204  
Clamshell for MHL Cable



LM11-1042  
Gift Box for Wall Charger



LM11-1043  
Gift Box for Charger Kits



LM11-1044  
Gift Box for Car Charger



LM11-1045  
Gift Box for Charger Kits



Wechat:LMDZ1001



Add.: Xilin Industrial Zone Zhonglou Changzhou  
Jiangsu 213024 China.

TEL:0086-519-85152932 86893669

FAX:0086-519-86892563

Mobile:0086-13951232696

E-mail: [avitronics@vip.163.com](mailto:avitronics@vip.163.com)

[laimeidz@lemicable.cn](mailto:laimeidz@lemicable.cn)

Website:[www.avitronic.com](http://www.avitronic.com)

[www.globalsources.com/avi.co](http://www.globalsources.com/avi.co)

[www.lemicable.cn](http://www.lemicable.cn)



[www.avitronic.com](http://www.avitronic.com)

[www.globalsources.com/avi.co](http://www.globalsources.com/avi.co)

[www.lemicable.cn](http://www.lemicable.cn)