


Smartphone Accessories

DATA & CHARGING

The title "DATA & CHARGING" is rendered in large, bold, black, uppercase letters. The word "DATA" is on the top line, and "CHARGING" is on the bottom line. The ampersand "&" is positioned between the two lines. The letter "A" in "DATA" contains a white icon of a USB Type-C connector. The letter "R" in "CHARGING" contains a white lightning bolt icon. To the right of the ampersand, there is a white icon of a Wi-Fi signal. The entire title is reflected in a lighter, semi-transparent version below it. A small Wi-Fi icon is also present above the ampersand.




Year 2002 Changzhou AVI IMP and Exp. Co. Ltd--Sourcing

Year 2007 Changzhou Lemi Electronic Co., Ltd--Factory

- 15-20 new products each month
- 150-200 workers and 35 administrative staff
- 10,000m2 workshop
- ERP U8 management system
- ISO 9001:2015-certified manufacturer
- 17th years verified supplier in globalsources.com

Key Products:

- Mobile Phone Cable
- Power Charger
- HDMI/DVI/DP Cable
- USB/Lane/Computer Cable
- Component/Composite/AV Cable



CHANGZHOU LEMI ELECTRONIC CO., LTD. is a factory dedicated to the development and manufacture of various high-definition audio/video cables and data transmission cables. It is a company integrating industry and trade, whose parent company Changzhou AVI was established in 2002. The first phase of investment amounts to 20 million US dollars, with daily output of 20,000 HDMI lines, 30,000 USB cables and 30,000 AV cables. We have five innovative and R&D members. There are nearly 10 professional technicians in each process. Our QC follows the latest GB/T19001-2017 ISO9001:2015 standard, and provides our customers with the most professional services. Quality first plus the reasonable price is the reason for us to win customers' reordering constantly.



High Frequency Spark Test



laying-up



Jacket Extruder



Data Cable Workshop



SL-OTP



HDMI Automatic welding



USB Automatic welding



Hot-Bar



Dispense



Laser-beam welding



Multi-functional Cable Test



Data Cable Test



ROHS Test




YVM



TDR Test


Company Qualifications

Product Certificates






Applicable to Huawei Super Fast Charger 5A fast charge, while supporting Huawei FCP fast charge, Xiaomi QC2.0 and QC3.0 fast charge, universal TYPE-C interface device mobile phone.
Length 1 m / 1.8 m optional, TPE flame retardant halogen-free quilt.



LM05-1101

5A Super Charger Cable
USB AM to Type-C M



It can be achieved by using a charging head that supports the super charging protocol



LM05-1102

Perfect Curve Cable
USB AM to A:Lightning 8P B:Android Micro C:Type-C



LM05-1105

Honey Cable
USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C



LM05-1106

Rainbow Cable
USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C



LM05-1103

Molding & Nylon Braided Cable
USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C



LM05-1104

Molding Cable
USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C



LM05-1107

Metal Shell & PVC Braided Cable
USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C



LM05-1108

ABS Shell Cable
USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C



LM05-1109

Fishbone Cable
USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C



LM05-1113

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell



LM05-1110

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell



LM05-1111

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell



LM05-1112

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell



LM05-1114

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell



LM05-1115

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell



LM05-1116

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell



LM05-1117

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell




LM05-1118

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell



LM05-1124

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell



LM05-1125

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell



LM05-1119

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell

LM05-1120

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell

LM05-1121

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell

LM05-1122

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell


LM05-1123

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell



LM05-1126

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell



LM05-1127

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell



LM05-1141

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell Flat Cable



LM05-1151

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell Right Angle



LM05-1142

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell Flat Cable



LM05-1143

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell Flat Cable



LM05-1144

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell Flat Cable



LM05-1152

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell Right Angle



LM05-1153

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Molding Type Right Angle



LM05-1154

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Molding Type Right Angle




LM05-1155

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell Right Angle



LM05-1161

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
PU Braided Jacket



LM05-1156

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell Right Angle



LM05-1157

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell Right Angle



LM05-1158

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Metal Shell Right Angle



LM05-1162

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
PU Jacket



LM05-1163

USB AM to
A:Lightning 8P
B:Android Micro
C:Type-C
Jean Jacket



LM05-1171

USB Cable With
LED Lamp & Protect IC
Plastic Plating



LM05-1172

USB Cable With
LED Lamp & Protect IC
Metal Shel



LM05-1173

USB 2 IN 1 Cable
Android/Lightning



LM05-1174

Flash Cable
A:lightning 8P
B:Android Micro
C:Type-C



LM05-1175

LED Lamp Cable
A:lightning 8P
B:Android Micro
C:Type-C

Multifunction Data Cable



LM05-1178

USB 3 IN 1 Cable
Type-C/Android/Lightning
Arbitrary Rotation
Only Charger



LM05-1179

USB 3 IN 1 Cable
Metal Shell
Type-C/Android/Lightning



LM05-1180

USB 3 IN 1 Cable
Molding Type
Type-C/Android/Lightning

Charger & Data Cable for Smartphone



LM05-1181

USB 3 IN 1 Retractable Cable
Type-C/Android/Lightning



LM05-1182

USB 3 IN 1 Retractable Cable
Type-C/Android/Lightning



LM05-1190

Keychain USB Cable
Type-C/Android/Lightning

Multifunction Data Cable



LM05-1191

USB 2 IN 1 Portable Cable
Android/Lightning



LM05-1192

USB 2 IN 1 Portable Cable
Android/Lightning



LM05-1193

USB 2 IN 1 Portable Cable
Android/Lightning



LM05-1194

USB Bracelet Cable
Type-C/Android/Lightning



LM05-1251

2.0 Type-C M to M Cable



LM05-1252

3.1 Type-C M to M Cable



LM05-1253

3.0 USB AM to Type-C M Cable



LM05-1261

PD Type-C to Lightning
Fast Charger Cable
For iPhone8/8P/X/XS/XR



LM05-1262

PD Type-C to Lightning
Fast Charger Cable
For iPhone8/8P/X/XS/XR



LM05-1263

PD Type-C to Lightning
Fast Charger Cable
For iPhone8/8P/X/XS/XR



LM05-1264

Lightning Printing Cable



LM05-1271

Type-C OTG Cable

LM05-1272

Lightning OTG Cable

LM05-1273

Type-C OTG & Charger
2IN1 Cable

LM05-1274

Type-C OTG & Charger
2IN1 Cable

LM05-1275

Micro OTG & Charger
2IN1 Cable

LM05-1276

3.0 Type-C OTG & Charger
2IN1 Cable

LM05-1082

Mini Adapter
USB AM to Type-C F

LM05-1083

Right Angle Mini Adapter
USB AM to Type-C F

LM05-1084

DC3.5 TRRS to Type-C
Audio Adapter

LM05-1096

A:Type-C M to USB 3.0 AF
B:Micro 5P M to USB 3.0 AF
Metal Shell OTG Adapter

Charger & Audio Adapter


LM05-2714

iPhone Adapter
Charger & Audio



LM05-2715

iPhone Adapter
Charger & Audio



LM05-2716


Type-C Adapter
Charger & Audio



LM05-2717

Type-C Adapter
Charger & Audio





LM05-2801

Linghtning M to HDMI AM
+USB AF
Plug and Play



LM05-2804

Linghtning M to HDMI AM
+USB AM
Plug and Play



LM05-2802

Linghtning M to HDMI AM
+USB AM
Plug and Play



LM05-2803

Linghtning +Type-C+Micro
3 in 1 to HDMI AM +USB
AM Plug and Play



LM05-2805

Type-C to HDMI AM+USB AM
Plug and Play



LM05-2806

Linghtning M to HDMI AM
+USB AM
Plug and Play



LM05-2807

Linghtning M to HDMI AM
+USB AM
Plug and Play

LM05-2808

Type-C to HDMI AM 4K
1080P/30HZ/60HZ
Plug and Play



LM05-2271

Fast Wireless Charger
Input: 5V 2A
Output: 5V 2A/9V 1.2A
Size:130*85*100mm



LM05-2809

Type-C to HDMI AM 4K
1080P/30HZ/60HZ
Plug and Play



LM05-2810

Type-C to HDMI AM
4K 1080P/30HZ/60HZ
Plug and Play

LM05-2272

Cartoon Wireless Charger
Input: 5V 1A
Output: 5V 1A
Assorted Style Available



LM05-227201



LM05-227202



LM05-227203



LM05-227204



LM05-227205

Wireless Charger



LM05-2273

Wireless Charger
Input: 5V 2A
Output: 5V 2A/9V 1.2A
Size:100*100*9.5mm



LM05-2278

iWatch Wireless Charger
Input: 5V 1A
Output: 5V 0.4A



LM05-2274

Fast Wireless Charger
Input: 5V 2A/9V 2A
Output:7.5W/10W
Size:99*63mm



LM05-2275

Ultrathin Fast Wireless Charger
Input: 5V 2A/9V 1.67A
Output: 5V 1A/9V 1.2A
Size:99*7MM



LM05-2276

Ultrathin Fast Wireless Charger
Input: 5V 2A
Output: 5V 2A/9V 1.2A
Size:100*10mm

LM05-2277

Ultrathin Fast Wireless Charger
Input: 5V 2A /9V 2A
Output: 7.5W/10W
Size:100*7mm



LM05-2279

Fast Wireless Charger+Power bank
Battery capacity: 5000mAh
Type-C Input: 5V 3A
Output: 10W
Size:159*86*19.2mm



LM05-2280

Fast Wireless Charger
Input: 5V 2A/9V 1.67A
Output: 10W
Size:156X79X72mm



LM05-2281

Fast Wireless Charger
 Input: 5V 2A/9V 1.67A
 Output: 10W
 Size:125*125*9mm



LM05-2282

Fast Wireless Charger
 Input: 5V 2A
 Output: 5V 2A/9V 1.2A
 Size:158*80*8.5mm



LM05-2283

Infrared Induction Vehicle
 Wireless Charger
 Input: 5V 2A
 Output:10W



LM05-2284

Infrared Induction Vehicle
 Wireless Charger
 Input: 5V 2A
 Output: 5V 1A/9V 1A



LM05-2285

Fast Wireless Charger+Power bank
 Battery capacity: 10000mAh
 Input: 5V/2A
 Output: 5W
 Size:148*77*15mm











 **Qualcomm 3.0**
Quick Charge 3.0






LM05-2370

1 Port QC3.0 Car Charger
Input : 12-24V DC
Output:5V/3.1A 9V 2A
12V 1.5A

-  Temperature Protection
-  Short-Circuit Protection
-  Input Overvoltage Protection
-  Reset Protection
-  Output Over-Current Protection
-  Output Over-Voltage Protection
-  PTC Protection
-  Over Charge & Over Discharge Protection

27% Faster Charging Than QC2.0

2750mAh battery testing,charging 30 minutes,QC3.0 charge from 0% to 70%, QC2.0 has 63% of the charging power, while the conventional charging device has only 18% charge capacity.



LM05-2371

2 Ports QC3.0 Car Charger
Input : 12-24V DC
Output:USB2.0 5V 2.4A
QC3.0 5V 3.1A 9V 2A 12V 1.5A



LM05-2372

1 Port PD Car Charger
Input : 12-24V DC
Output:5V 3A
9V 2A
12V 1.5A

LM05-2373

2 Ports QC3.0 +PD Car Charger
Input : 12-24V DC
Output:
PD 5V 3.1A 9V 2A 12V 1.5A
QC3.0 5V 3.1A 9V 2A 12V 1.5A

LM05-2374

2 Ports QC3.0 +PD Car Charger
Input : 12-24V DC
Output:
PD 5V 3.1A 9V 2A 12V 1.5A
QC3.0 5V 3.1A 9V 2A 12V 1.5A

LM05-2375

2 Ports QC3.0 +PD Car Charger
Input : 12-24V DC
Output:
PD 5V 3.1A 9V 2A 12V 1.5A
QC3.0 5V 3.1A 9V 2A 12V 1.5A



LM05-2376

1 Port QC3.0 Car Charger
Input : 12-24V DC
Output: 5V 3.1A
9V 2A
12V 1.5A

LM05-2377

2 Ports QC3.0 +PD Car Charger
Input : 12-24V DC
Output:
PD 5V 3.1A 9V 2A 12V 1.5A
QC3.0 5V 3.1A 9V 2A 12V 1.5A

LM05-2378

1 Port QC3.0 Car Charger
Input : 12-24V DC
Output: 5V 3.1A
9V 2A
12V 1.5A

LM05-2379

1 Port QC3.0 Car Charger
Input : 12-24V DC
Output: 5V 3.1A
9V 2A
12V 1.5A

Car Charger



LM05-2380
2 Ports USB Car Charger
Input : 12-24V DC
Output:5V/2.4A~3.1A



LM05-2391
2 Ports USB Car Charger
Input : 12-24V DC
Output:5V 2.1A



LM05-2392
2 Ports USB Car Charger
Input : 12-24V DC
Output:5V 2.1A



LM05-2393
2 Ports USB Car Charger
Input : 12-24V DC
Output:5V 2.1A



LM05-2381
2 Ports USB Car Charger
Input : 12-24V DC
Output:5V/2.4A~3.1A



LM05-2382
2 Ports USB Car Charger
Input : 12-24V DC
Output:5V/2.4A~3.1A



LM05-2394
1 Port USB Car Charger
With Charge Cable
Input : 12-24V DC
Output:5V/2.1A



LM05-2395
2 Ports USB Car Charger
With 2IN1 Charge Cable
Input : 12-24V DC
Output:5V/2.1A



LM05-2383
2 Ports USB Car Charger
Input : 12-24V DC
Output:5V 2.1A



LM05-2384
2 Ports USB Car Charger
Input : 12-24V DC
Output:5V 2.1A



LM05-2385
2 Ports USB Car Charger
Input : 12-24V DC
Output:5V 2.1A



LM05-2386
2 Ports USB Car Charger
Input : 12-24V DC
Output:5V 2.1A



LM05-2396
1 Port USB Car Charger
With 2IN1 Charge Cable
Input : 12-24V DC
Output:5V/2.1A



LM05-2397
4 Ports USB Car Charger
With Case
Input : 12-24V DC
Output:5V/2.1A



LM05-2387
2 Ports USB Car Charger
With Charge Cable
Input : 12-24V DC
Output:5V 2.1A



LM05-2388
2 Ports USB Car Charger
Input : 12-24V DC
Output:5V 2.1A



LM05-2389
2 Ports USB Car Charger
Input : 12-24V DC
Output:5V 2.1A



LM05-2390
2 Ports USB Car Charger
Input : 12-24V DC
Output:5V 2.1A



Wall Charger





Widely Compatible
Built-in intelligent IC makes it better compatible with tablets, phones, MP3, MP4, Bluetooth headphones and other digital devices.

Quick Charge 3.0

4X Faster Than Conventional Charger

35 mins



Fast Charge - Charge 50% in 30 minutes with USB-C Power Delivery technology, 3X faster than Apple's original 5V/1A power adapter.

Smart IC Chip - The advanced IC chip automatically detects and delivers the optimal charging power for connected devices. Your device charges as fast as possible while protecting your battery life.

Advanced Safety Features - This UL certified charger provides you with over-current, over-voltage, overheating, and short-circuit protection; keeping you and your device completely safe.

18-Month Warranty: Your ESR 18W USB-C Charger comes with an 18-month warranty and industry leading customer support.

LM05-2470

PD Wall Charger
Input : 100~240V AC
Output:
PD:5V/3A,9V/2A,12V/1.5A
USB2.0:5V/2.4A(Max)



LM05-2473

QC3.0 Wall Charger
Input : 100~240V AC
Output:
5V/3A,9V/2A,12V/1.5A



LM05-2471

PD Wall Charger
Input : 100~240V AC
Output:
PD:5V/3A,9V/2A,12V/1.5A



LM05-2472

PD Wall Charger
Input : 100~240V AC
Output:
PD:5V/3A,9V/2A,12V/1.5A



LM05-2474

QC3.0 Wall Charger
Input : 100~240V AC
Output:
5V/3A,9V/2A,12V/1.5A



LM05-2475

QC3.0 Wall Charger
Input : 100~240V AC
Output:
5V/3A,9V/2A,12V/1.5A



LM05-2476

QC3.0 Wall Charger
Input : 100~240V AC
Output:
5V/3A,9V/2A,12V/1.5A





LM05-2477

1Port Wall Charger
Input : 100~240V AC
Output: 5V/1A



LM05-2478

1Port Wall Charger
Input : 100~240V AC
Output: 5V/1A



LM05-2479

1Port Wall Charger
Input : 100~240V AC
Output: 5V/1A



LM05-2486

2Ports Wall Charger
Input : 100~240V AC
Output: 5V/1A



LM05-2487

2Ports Wall Charger
Input : 100~240V AC
Output: 5V/2.1A



LM05-2488

2Ports Wall Charger
Input : 100~240V AC
Output: 5V/2.1A



LM05-2480

1Port Wall Charger
Input : 100~240V AC
Output: 5V/1A~2.1A



LM05-2481

1Port Wall Charger
Input : 100~240V AC
Output: 5V/1A~2.1A



LM05-2482

1Port Wall Charger
Input : 100~240V AC
Output: 5V/1A



LM05-2489

2Ports Wall Charger
Input : 100~240V AC
Output: 5V/2.1A



LM05-2490

2Ports Wall Charger
Input : 100~240V AC
Output: 5V/2.4A



LM05-2491

2Ports Wall Charger
Input : 100~240V AC
Output: 5V/2.1A



LM05-2483

2Ports Wall Charger
Input : 100~240V AC
Output: 5V/1A



LM05-2484

2Ports Wall Charger
Input : 100~240V AC
Output: 5V/2.1A



LM05-2485

2Ports Wall Charger
Input : 100~240V AC
Output: 5V/2.1A



LM05-2492

3Ports Wall Charger
Input : 100~240V AC
Output: 5V/3.1A



LM05-2493

4Ports Wall Charger
Input : 100~240V AC
Output: 5V/4.8A



LM05-2494

Wall Charger With Cable
Input : 100~240V AC
Output: 5V/1A



LM05-2571

3.1 Type-C to PD/2*USB3.0/
HDMI/TF/SD
Macbook



LM05-2580

USB3.0 HUB
4*USB 3.0



LM05-2581

USB3.0 HUB
4*USB 3.0



LM05-2582

USB3.1 HUB
4*USB 3.0



LM05-2583

USB3.0 HUB
1000M LAN/3*USB3.0



LM05-2584


USB2.0 HUB
100M LAN/3*USB2.0



LM05-2585

Type-C HUB
1000M LAN/3*USB3.0

Type-c Hub MacBook



LM05-2572

3.1 Type-C to
PD/3*USB3.0/HDMI/
TF/SD



LM05-2573

3.1 Type-C to PD/USB3.0/
USB2.0/TF/SD



LM05-2574

3.1 Type-C to PD/
RJ45/2*USB3.0/HDMI/
SD/TF



LM05-2575

Linghtning to HDMI +Type-
C+AUDIO



LM05-2586

Type-C HUB
1000M LAN/3*USB3.0



LM05-2587

Type-C HUB
1000M LAN/3*USB3.0



LM05-2588

Type-C 2.0 HUB
100M LAN/3*USB2.0



LM05-2591
Type-C M to VGA F+HDMI AF
L=0.15M



LM05-2592
Type-C M to HDMI F+USB3.0 AF+PD Type-C F
L=0.15M



LM05-2593
Type-C M to 3*3.0USB AF+PD Type-C F
L=0.15M



LM05-2594
Lightning M to HDMI AF+Lightning F



LM05-2595
TYPE-C M to MINI DP F
L=0.15M



LM05-2596
TYPE-C M to RG45 F
L=0.15M



LM11-1301
Display Box
Packing Style:Display Box (PDQ)
Material:Coated Art Paper/PET Blister
Product:Clamshell For USB Data Cable
Size:360MM*180MM



LM11-1203
Clamshell

LM11-1401
Suspension Card
Packing Style:Suspension Card
Material:Corrugated Paper
Product:MIC Cable
Size:220MM*160MM/180MM*140MM



LM11-1007
Gift Box for USB Cable
Packing Style:Gift Box
Material:Duplex Paperboard+PET Blister
Product:Data Cable
Size:165MM*75MM*20MM



Wechat: LMDZ1001

Skype:avitronics01

Smartphone Accessories

DATA & CHARGING

((()))

The main title 'DATA & CHARGING' is rendered in a large, bold, black, sans-serif font. The letter 'A' in 'DATA' contains a white USB symbol. The ampersand '&' is stylized with a white lightning bolt. The word 'CHARGING' has a white lightning bolt in the 'A'. The entire title is reflected in a lighter, semi-transparent version below it. To the right of the title, there is a small icon consisting of three curved lines, resembling a signal or data symbol.

Add.: Xilin Industrial Zone Zhonglou Changzhou

Jiangsu 213024 China.

TEL:0086-519-85152932 86893669

FAX:0086-519-86892563

Mobile:0086-13951232696

E-mail: avitronics@vip.163.com

laimeidz@lemicable.cn

Website:www.avitronic.com

www.globalsources.com/avi.co

www.lemicable.cn